


Aortic Stenosis

Information on anatomy, diagnosis
and treatment options



Hello, I'm John

I will never forget the day I walked out of my cardiologist's office with the words 'aortic stenosis' in my head.

Like you, I just wanted answers so that I could understand why I often feel so ill.

There were two things I was desperate to know – what exactly is aortic stenosis, and more importantly, what can be done about it?





How does the heart work normally?

To help answer my questions, my cardiologist explained how the heart normally works. He specifically focused on how the aortic valve operates, as he thought this might be the cause of my problems.

Structure

The heart is made up of four chambers, called atria and ventricles – two on the right, which pump blood to the lungs, and two on the left, which pump blood around the rest of the body.

Blood circulation


On each side of the heart, the atrium and ventricle are connected by a valve. Blood is pumped through the right atrium and ventricle and out of the heart through the pulmonary valve, then on to the lungs to be oxygenated. This blood then returns to the left side of the heart. It is then pumped through the aortic valve into the main artery (the aorta) and around the body.

The aortic valve

The essential function of a heart valve is to maintain the flow of blood in the right direction. When the left ventricle has contracted fully and pumped all the oxygenated blood into the aorta, the aortic valve closes. It only opens again when the ventricle has refilled blood from the left atrium, ready for the next contraction.

Now that I understood how important the aortic valve is, my cardiologist talked to me about aortic stenosis.

Heart valves




Diagnosis and treatment

General Cardiologist

The cardiologist will perform some more tests on your heart to decide which of your heart valves is not working well. This will help to determine what is causing your heart murmur. You will also be able to discuss the different treatment options available with the cardiologist.

Heart Team

If it is necessary, your cardiologist will refer you to the heart team. This multidisciplinary team of specialists will discuss the most suitable options of intervention with you.




What is aortic stenosis?

In a patient with aortic stenosis, the aortic valve no longer opens fully. Its opening is restricted as the leaflets of the valve become stenosed (narrowed) over time. This makes it harder for your heart to pump blood through the valve and around your body. The narrower the valve, the harder the heart has to work and the worse the symptoms are likely to be.

As my heart was having to work a lot harder, this explained why I often feel out of breath and dizzy. My cardiologist explained that if this carried on for a long time, then my symptoms may become worse and I could eventually develop heart failure.¹ People with severe aortic stenosis may also suffer from fainting, and in some cases it can lead to the heart stopping completely.^{2,3}

So, I had grasped what aortic stenosis was and why it was happening. My next question was “can something be done to fix this?” The answer to which was “yes”.


The narrower the valve, the harder the heart has to work



What are the treatment options for aortic stenosis?

My cardiologist explained that in severe aortic stenosis, there are two treatment options. Rather than controlling the symptoms of the condition, these actually replace the function of the narrow valve. These options comprise surgical aortic valve replacement and transcatheter aortic valve implantation.


Surgical aortic valve replacement is a form of open-heart surgery. For this, I would need to have a general anaesthetic so that I am asleep when the doctors open up my chest and put a new valve in place of my narrowed valve, allowing my heart to work normally again. This is a very well-established treatment that has been used successfully for many years.³⁻⁶




Transcatheter aortic valve implantation, or TAVI for short, does not require open-heart surgery. Instead of opening my chest, a small incision is made, often in the groin, or sometimes the chest. Then, a long tube (catheter) is guided from there to the heart. The replacement valve is passed through the catheter to the heart, then expanded within the faulty valve. As with surgical aortic valve replacement, the new valve allows my heart to work normally again.

My cardiologist has told me that both treatment options should improve my symptoms. I am now going to have an evaluation by the specialist heart team, and they will decide which of these options is best for me. Of course, we are all different, so I'm sure your cardiologist and the heart team will discuss the best intervention for you.


Transfemoral approach



Transapical approach




Transaortic approach



Get the help you need

So, rest assured that there are options and there is hope. Your cardiologist and the rest of the heart team are all dedicated to making you better. Learning this was a real reassurance for me, as I hope it is for you and your family too.





Key things to remember

- Aortic stenosis is a common form of heart valve disease
- Several different treatments are available for aortic stenosis
- Treatment can improve your symptoms giving you better quality of life

References

1. Grimard BH, Larson JM. Aortic Stenosis: Diagnosis and Treatment. *Am Fam Physician* 2008;78:717–24.
2. Maganti K et al. Valvular Heart Disease: Diagnosis and Management. *Mayo Clin Proc.* 2010;85:483–500.
3. Carabello BA. Introduction to aortic stenosis. *Circ Res* 2013;113:179–85.
4. Conti V, Lick SD. Cardiac surgery in the elderly: indications and management options to optimize outcomes. *Clin Geriatr Med* 2006;22:559–74.
5. Sundt TM, Bailey MS, Moon MR et al. Quality of life after aortic valve replacement at the age of >80 years. *Circulation* 2000;102[suppl III]:70–74.
6. Chiappini B, Camurri N, Loforte A et al. Outcome after aortic valve replacement in octogenarians. *Ann Thorac Surg* 2004;78:85–9.

Edwards, Edwards Lifesciences and the stylized E logo are trademarks of Edwards Lifesciences Corporation or its affiliates.

All other trademarks are the property of their respective owners.

© 2017 Edwards Lifesciences Corporation. All rights reserved. E6646/01-17/THV

Edwards Lifesciences • Route de l'Etraz 70, 1260 Nyon, Switzerland • edwards.com



Edwards